
Matilda
bed guard

MODEL# A35

INSTRUCTIONS



This bed guard complies with BS7972: 2001 + A1: 2009

⚠ WARNING ⚠

1. For use with children from18 months to 5 years of age. This bed rail is to be used only when the child is able to climb in and out of bed unaided.
2. This bed rail does not ensure the same level of safety as a child's cot.
3. Only use mattresses with the following measurements: minimum size 90x190cm ,maximum size 155x190cm and min. thickness 10cm and max. 20cm.
4. Do not use when the height of the bedding is greater than 60cm. Never use on a bunk bed or any other bed that does not correspond to the instructions.
5. To avoid risk of injury, carefully proceed acording to the instructions when assembling, installing and using this bed rail.
6. It should be checked periodically that the bed rail is always properly fitted and secure in place, and the locking mechanisms on the bed rail are securely fixed.

infasecure
caring for the wellbeing of infants


P.O. Box 487, Emu Plains NSW 2750
Service No: 02 4728 8090

IMPORTANT: Please read instructions carefully. Keep these instructions for future reference. Read the entire instruction booklet before assembling and installing this product. If you sell or give away this product, make sure you give this instruction booklet to the new owner

OPERATING INSTRUCTIONS

ASSEMBLY PARTS

(A) Left Vertical Side Rail
(B) Right Vertical Side Rail
(C) L-Shaped Top Rail
(D) L-Shaped Top Rail
(E) Right L-Shaped Foot Rail
(F) Left L-Shaped Foot Rail
(G) Straight Bottom Rail
(H) Straight Bottom Rail (with sleeve)
(I) Fabric/Mesh Panel
(J) Safety Belts & Anchors



TO ASSEMBLE


1. Make sure no component is missing prior to assembly.




2. Depress the lock buttons and connect the Vertical Side Rails (A) & (B), to L-shaped Top Rails (C) & (D).




3. Slide the mesh panel (I) onto top rail as shown. Gather the mesh fabric until the top rail end is uncovered.




4. Connect the top two rails (C) and (D) by aligning the two straight ends. Depress the lock button, move and turn the two top rails by alligning the two straight rails into place.



5. Pull and ease the mesh panel to cover the bed rail smoothly and flatly.



6.1 Insert the L-shaped foot rail (E) into the fabric sleeve, as shown, depress the two lock buttons, and connect with Vertical Right Side Rail (A). The locking buttons will automatically spring outwards with a 'click' when correctly seated into the receiving socket [6.1].




6.2 Repeat the same operation to connect the opposite side foot rail (F) through the mesh sleeve, and into the Left Vertical Rail (B) [6.2]. Connecting plastic parts need to be in the same direction.


⚠ WARNING ⚠

Be sure to keep lock buttons securely in place.


Children should NOT be allowed to play with the bed rail or use it as a ladder. Discontinue use if any part of the bed rail becomes damaged or torn.




7. Make sure Right Vertical (A) is placed on the right side.




8. Align and connect the two bottom rails (G) and (H) by depressing the lock button and allowing it to 'click' into the lock button hole.



9.1 Insert the joined straight bottom rails (G/H) into the bottom of the fabric & mesh panel, and align the end of (G) with the receiving plastic socket on L-shaped Foot Rail (E), then slide into socket and ensure that the locking button 'clicks' securely into the lock button hole [9.1].




9.2 Align the end of Straight Bottom Rail (H) with the attachment stem on the L-shaped Foot Rail (F), and slide the movable socket flange over the stem, ensuring that the locking button is securely seated into position.




9.3 Your Bedguard is now fully assembled. Please check that all attachment locking buttons are securely and correctly seated into their keepers [9.3].


TO USE


1. Measure the width of the bed mattress, and adjust the length of both safety straps, so that the distance between the fabric/mesh cover and the L-shaped safety anchors are approximately equal to the mattress width (see diagram).






⚠ WARNING ⚠








To prevent the risk of strangulation it is essential to ensure that when the bedguard is fitted into position, there is a gap of at least 250mm (10 in.), between each end of the bed and the corresponding end of the bedguard.


The bed rail must be securely against the side of mattress with the fixings all in place.

Once fitted in place, the bedguard should be checked to ensure that it is properly fitted and secure.


Top edge of bed rail must be at least 16cm (6.3 in.) above top edge of mattress.




2.1/2.2




NOTE: Please put away the extra Fixing Belt under the mattress.



2.3



2.4



2.5

2. To install on bed:

2.1 Keeping the bed rail upright, slide the bed rail feet beneath the mattress (it may be necessary to lift the edge of the mattress to position the bed rail feet easily). Push bed rail all the way in, until it touches the side of the mattress.

2.2 Fix the L-shape plates to the edge on the other side of the mattress away from the bed rail.

2.3 Hold the L-shapes plate and pull the red belt to adjust belt length.

2.4 Fasten the fixing belt.

2.5 To fold bed rail down: Depress the disk buttons on both sides of bed rail joints and swing the bed rail down. To reposition the bed rail: Swing the bed rail upward so that both the joints click into locked position securely. (To test, gently push the bed rail back and forth, it will not be swung out of position if it is locked properly.)

TO FOLD FOR STORAGE

1. Remove the bed rail from the bed.
2. To detach and fold for storage, simply proceed in the reverse order of assembly, as follows:
   - 2.1 Detach straight bottom rails (G) and (H), retracting the sleeve at (H) end first.
   - 2.2 Detach L shaped foot rails (E) and (F).
   - 2.3 Slide the Fabric/Mesh Cover, upwards.
   - 2.4 Detach sides (A) and (B), remove cover.
   - 2.5 Detach L shaped rails (C) and (D).
3. To clean, wipe with damp cloth.
4. Any additional and replacement parts should only be obtained from InfaSecure

InfaSecure Warranty Details

InfaSecure Pty Ltd warrants this product for twelve months from the date of purchase against failure due to manufacturing faults or faulty materials. Misuse, accidental damages, normal wear and tear are not covered by this warranty. When used for commercial use the period is limited to six months. “Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to major failure.”

If at all damaged or faulty, do not use. Phone the Infa Customer Service Centre.

INFASECURE PTY LTD
ABN: 52 149 173 660

Head Office and Registered Address
110-114 Old Bathurst Rd, Emu Plains, NSW 2750
P.O. Box 487, Emu Plains, NSW 2750

Phone No : 02 4728 8080
Fax : 02 4728 8040
Customer Service
Phone No : 02 4728 8090

infasecure
caring for the wellbeing of infants

www.infasecure.com.au

We reserve the right to alter this product without notice.

ISSUE A